

# Medication Access and Training Expansion (MATE) Act Part II

Reference Handout

Jeremy Mirabile MD, ABPM-ADM, FASAM, FAAFP  
Medical Director Recovery Keys

## Questions

- Please reach out with any questions on the slides presented
  - Jeremy Mirabile MD, ABPM-ADM, FASAM, FAAFP
  - [DEAMATETRAINING@GMAIL.COM](mailto:DEAMATETRAINING@GMAIL.COM)
- And for specific clinical mentoring and guidance with implementing SUD care in your practice engage with PCSS thru SAMHSA.
- **PCSS thru SAMHSA:** Providers Clinical Support System (PCSS) is a national training and clinical mentoring program that provides clinical mentors and matches them with clinicians. Three levels of involvement. Communications between mentors and clinicians is primarily via phone and Internet (email, video).

## References: General

- Addiction Treatment Matching: Research Foundations of the American Society of Addiction Medicine (ASAM) Criteria. David R. Gastfriend, MD, Editor. <https://www.addictioncounselorce.com/courses/101247/addiction-treatment-matching-research-foundations-of-the-american-society-of-addiction-medicine-asam-criteria>
- Alcohol Alert. (2007, July). Alcohol Metabolism: An Update. U.S. Department of Health & Human Services. <https://pubs.niaaa.nih.gov/publications/aa72/aa72.htm>
- American Journal of Health-System Pharmacy, Volume 61, Issue 21, 1 November 2004, Pages 2272–2279.
- American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (5th ed.). <https://doi.org/10.1176/appi.books.9780890425596>
- Applying ASAM Placement Criteria (video). The Clinical Innovators Series. David Mee-Lee, M.D.
- Archives of General Psychiatry. 1996 Aug;53(8):673-80.
- Ashton H. The Ashton manual: benzodiazepines—how they work and how to withdraw. 2002
- CNS Drugs 2005;19(6):517-37.
- Drug and Alcohol Dependence 70(Suppl.) Johnson et al. How to use it right. S59–S77, 2003
- Han et al. (2017). Prevalence, treatment, and unmet treatment needs of US adults with mental health and substance use disorders. *Health Affairs*. [https://www.healthaffairs.org/doi/10.1377/hlthaff.2017.0584?url\\_ver=Z39.88-2003&rfr\\_id=ori:rid:crossref.org&rfr\\_dat=cr\\_pub%20%20pubmed](https://www.healthaffairs.org/doi/10.1377/hlthaff.2017.0584?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%20%20pubmed)
- The Neurobiology of Drug Addiction (2007). National Institute on Drug Abuse. <https://nida.nih.gov/sites/default/files/1922-the-neurobiology-of-drug-addiction.pdf>

## References: General

- NIDA's 13 Principles of Effective Treatment - Principles of Drug Addiction Treatment: A Research-Based Guide (Third Edition). <http://www.drugabuse.gov/publications/principles-drug-addiction-treatment-research-based-guide-third-edition/principles-effective-treatment>
- Medication Access and Training Education Act (MATE) <https://www.congress.gov/117/bills/hr2617/BILLS-117hr2617enr.pdf>
- Mee-Lee, David, M.D. Editor ASAM PPC-2R: ASAM Placement Criteria for the Treatment of Substance-Related Disorders, Second Edition-Revised.
- Mee-Lee, David, MD. (2013, Oct. 24) The ASAM Criteria: Treatment Criteria for Addictive, Substance-Related, and Co-Occurring Conditions. <https://www.americanhealthholding.com/Content/Pdfs/asam%20criteria.pdf>
- Providers Clinical Support System: Resources for PCPs. <https://pcssnow.org>
- Substance Abuse and Mental Health Services Administration (SAMHSA) <https://www.samhsa.gov/medication-assisted-treatment/legislation-regulations-guidelines/special>
- Witkiewitz, K., Saville, K., & Hamreus, K. Acamprosate for treatment of alcohol dependence: mechanisms, efficacy, and clinical utility. *Clinical Risk Management*. 2012; 8: 45–53 <https://www.tandfonline.com/doi/full/10.2147/TCRM.S23184>
- Zubieta, JK., Greenwald, M., Lombardi, U. et al. Buprenorphine-Induced Changes in Mu-Opioid Receptor Availability in Male Heroin-Dependent Volunteers: A Preliminary Study. *Neuropsychopharmacol* 23, 326–334 (2000).

## References: DEA/SAMHSA Curriculum Elements

- Alanis-Hirsch K, Croff R, Ford JH 2nd, Johnson K, Chalk M, Schmidt L, et al. Extended-release naltrexone: A qualitative analysis of barriers to routine use. *J Subst Abuse Treat.* 2016;62:68–73.
- Alexander RS, Canver BR, Sue KL, Morford KL. Xylazine and overdoses: trends, concerns, and recommendations. *American Journal of Public Health.* 2022;112(8):1212-1216.
- The American Academy of Family Physicians, Recommended Curriculum Guidelines for Family Medicine Residents: Substance Use Disorders. <https://www.aafp.org/students-residents/residency-program-directors/curriculum-guidelines.html>
- The American Society of Addiction Medicine. The ASAM Fundamentals of Addiction Medicine Recognition Program: Competencies and Curriculum Learning Objectives. 2015
- American Society of Addiction Medicine. ASAM Standards of Care for Addiction Specialists. 2014
- Blanco, C., Wiley, T.R.A., Lloyd, J.J. et al. America's opioid crisis: the need for an integrated public health approach. *Transl Psychiatry* 10, 167 (2020). <https://doi.org/10.1038/s41398-020-0847-1>
- Capraro AJ, Wiley JF, 2nd, Tucker JR. Severe intoxication from xylazine inhalation. *Pediatr Emerg Care.* Dec 2001;17(6):447-8. doi:10.1097/00006565-200112000-00012
- DeFlavio JR, Rolin SA, Nordstrom BR, Kazal LA Jr. Analysis of barriers to adoption of buprenorphine maintenance therapy by family physicians. *Rural Remote Health.* 2015;15:3019.

## References: DEA/SAMHSA Curriculum Elements

- Dowell D, Ragan KR, Jones CM, Baldwin GT, Chou R. CDC Clinical Practice Guideline for Prescribing Opioids for Pain — United States, 2022. *MMWR Recomm Rep* 2022;71(No. RR-3):1–95. DOI: <http://dx.doi.org/10.15585/mmwr.rr7103a1>
- Drug Enforcement Administration. The growing threat of xylazine and its mixture with illicit drugs. 2022. <https://www.dea.gov/sites/default/files/2022-12/The%20Growing%20Threat%20of%20Xylazine%20and%20its%20Mixture%20with%20Illicit%20Drugs.pdf>
- Drug Enforcement Administration. DEA Reports Widespread Threat of Fentanyl Mixed with Xylazine, Public Safety Alert, 2022: <https://www.dea.gov/alert/dea-reports-widespread-threat-fentanyl-mixed-xylazine>
- Ehrman-Dupre R, Kaigh C, Salzman M, Haroz R, Peterson L-K, Schmidt R. Management of xylazine withdrawal in a hospitalized patient: A case report. *Journal of Addiction Medicine.* 2010;16(5):595-598.
- FDA alerts health care professionals of risks to patients exposed to xylazine in illicit drugs November 8, 2022. <https://www.fda.gov/drugs/drug-safety-and-availability/fda-alerts-health-care-professionals-risks-patients-exposed-xylazine-illicit-drugs>
- Friedman J, Montero F, Bourgois P, et al. Xylazine spreads across the US: A growing component of the increasingly synthetic and polysubstance overdose crisis. *Drug and alcohol dependence.* 2022;233:109380.
- Green TC, Park JN, Gilbert M, McKenzie M, Struth E, Lucas R, Clarke W, Sherman SG. An assessment of the limits of detection, sensitivity and specificity of three devices for public health-based drug checking of fentanyl in street-acquired samples. *Int J Drug Policy.* 2020 Mar;77:102661.
- Harper L, Powell J, Pijl EM. An overview of forensic drug testing methods and their suitability for harm reduction point-of-care services. *Harm Reduct J.* 2017 Jul 31;14(1):52.

## References: DEA/SAMHSA Curriculum Elements

- Holmboe E, Singer S, Chappell K, Assadi K, Salman A. The 3Cs Framework for Pain and Unhealthy Substance Use: Minimum Core Competencies for Interprofessional Education and Practice. *NAM Perspect*. 2022 Jun 6;2022:10.31478/202206a. doi: 10.31478/202206a. PMID: 36177204; PMCID: PMC9499381.
- Holmboe, E., S. Singer, K. Chappell, K. Assadi, A. Salman, and the Education and Training Working Group of the National Academy of Medicine's Action Collaborative on Countering the U.S. Opioid Epidemic. 2022. The 3Cs Framework for Pain and Unhealthy Substance Use: Minimum Core Competencies for Interprofessional Education and Practice. *NAM Perspectives*. Discussion Paper, National Academy of Medicine, Washington, DC. <https://doi.org/10.31478/202206a>.
- Hoffman, J. (2018, September 10). Most Doctors Are Ill-Equipped to Deal With the Opioid Epidemic. *Few Medical Teach Addiction*. *The New York Times*, p. D1.
- Hoffmann U, Meister CM, Golle K, Zschiesche M. Severe intoxication with the veterinary tranquilizer xylazine in humans. *J Anal Toxicol*. May-Jun 2001;25(4):245-9. doi:10.1093/jat/25.4.245
- Houry D, Adams J. Emergency Physicians and Opioid Overdoses: A Call to Aid. *Ann Emerg Med*. 2019 Sep;74(3):436-438.
- Houry DE, Haegerich TM, Vivolo-Kantor A. Opportunities for Prevention and Intervention of Opioid Overdose in the Emergency Department. *Ann Emerg Med*. 2018 Jun;71(6):688-690.
- Kariisa M, Patel P, Smith H, Biting J. Notes from the field: xylazine detection and involvement in drug overdose deaths—United States, 2019. *Morbidity and Mortality Weekly Report*. 2021;70(37):1300.

## References: DEA/SAMHSA Curriculum Elements

- Kaiko RF, Wallenstein SL, Rogers A, Grabinski P, Houde RW. Relative analgesic potency of intramuscular heroin and morphine in cancer patients with postoperative pain and chronic pain due to cancer. *NIDA Res Monogr*. 1981 Feb;34:213-9. PMID: 6783935.
- Kennedy-Hendricks A, Busch SH, McGinty EE, et al. Primary care physicians' perspectives on the prescription opioid epidemic. *Drug Alcohol Depend*. 2016;165:61-70. doi:10.1016/j.drugalcdep.2016.05.010
- Korn WR, Stone MD, Haviland KL, Toohey JM, Stickle DF. High prevalence of xylazine among fentanyl screen-positive urines from hospitalized patients, Philadelphia, 2021. *Clinica Chimica Acta*. 2021;521:151-154.
- Lambdin BH, Bluthenthal RN, Wenger LD, et al. Overdose Education and Naloxone Distribution Within Syringe Service Programs – United States, 2019. *MMWR Morb Mortal Wkly Rep*. 2020;69(33):1117-1121. Published 2020 Aug 21.
- Louie DL, Assefa MT, McGovern MP. Attitudes of primary care physicians toward prescribing buprenorphine: a narrative review. *BMC Fam Pract*. 2019;20(1):157. Published 2019 Nov 15. doi:10.1186/s12875-019-1047-z
- NIDA. 2022, December 16. Heroin Drug Facts. Retrieved from <https://nida.nih.gov/publications/drugfacts/heroin> on 2023, June 11
- Nunez J, DeJoseph ME, Gill JR. Xylazine, a Veterinary Tranquilizer, Detected in 42 Accidental Fentanyl Intoxication Deaths. *Am J Forensic Med Pathol*. Mar 1 2021;42(1):9-11. doi:10.1097/paf.0000000000000622 Ober AJ, Watkins KE, Hunter SB, Ewing B, Lamp K, Lind M, et al. Assessing and improving organizational readiness to implement substance use disorder treatment in primary care: findings from the SUMMIT study. *BMC Fam Pract*. 2017;18(1):107.
- McDonald R, Strang J. Are take-home naloxone programmes effective? Systematic review utilizing application of the Bradford Hill criteria. *Addiction*. 2016;111(7):1177-1187.

## References: DEA/SAMHSA Curriculum Elements

- Mulders P, van Duijnhoven V, Schellekens A. Xylazine Dependence and Detoxification: A Case R Psychosomatics. 2016/09/01/ 2016;57(5):529-533. doi:<https://doi.org/10.1016/j.psych.2016.05.001>
- O'Donnell J, Gladden RM, Mattson CL, Hunter CT, Davis NL. Vital Signs: Characteristics of Drug Overdose Deaths Involving Opioids and Stimulants — 24 States and the District of Columbia, January–June 2019external icon. MMWR Morb Mortal Wkly Rep 2020;69:1189–1197.
- Palamar JJ, Ciccarone D, Rutherford C, Keyes KM, Carr TH, Cottler LB. Trends in seizures of powders and pills containing illicit fentanyl in the United States, 2018 through 2021. Drug Alcohol Depend. 2022 May 1;234:109398. doi: 10.1016/j.drugalcdep.2022.109398. Epub 2022 Mar 31. PMID: 35370014; PMCID: PMC9027012.
- Press KR, Zornberg GZ, Geller G, Carrese J, Fingerhood MI. What patients with addiction disorders need from their primary care physicians: A qualitative study. Subst Abus. 2016;37(2):349-355. doi:10.1080/08897077.2015.1080785
- The Patient Care Process for Delivering Comprehensive Medication Management (CMM): Optimizing Medication Use in Patient-Centered, Team-Based Care Settings. CMM in Primary Care Research Team. July 2018. <https://gtmr.org/resources/the-patient-care-process-for-delivering-comprehensive-medication-management-cmm/>
- Reyes JC, Negrón JL, Colón HM, et al. The Emerging of Xylazine as a New Drug of Abuse and its Health Consequences among Drug Users in Puerto Rico. Journal of Urban Health. 2012/06/01 2012;89(3):519-526. doi:10.1007/s11524-011-9662-6

## References: DEA/SAMHSA Curriculum Elements

- Ruiz-Colón K, Chavez-Arias C, Díaz-Alcalá JE, Martínez MA. Xylazine intoxication in humans and its importance as an emerging adulterant in abused drugs: A comprehensive review of the literature. Forensic Science International. 2014/07/01/ 2014;240:1-8. doi: <https://doi.org/10.1016/j.forsciint.2014.03.015>Russell E, Sisco E, Thomson A, et al. Rapid Analysis of Drugs: A Pilot Surveillance System To Detect Changes in the Illicit Drug Supply To Guide Timely Harm Reduction Responses – Eight Syringe Services Programs, Maryland, November 2021–August 2022. MMWR Morb Mortal Wkly Rep. 2023;72(17):458-462. Published 2023 Apr 28. doi:10.15585/mmwr.mm7217a2
- Rutkowski, Beth. (2019). Specific disciplines addressing substance use: AMERSA in the 21st century. Substance Abuse. 40. 1-4. 10.1080/08897077.2019.1686726.
- Servis M, Fishman SM, Wallace MS, Henry SG, Ziedonis D, Ciccarone D, Knight KR, Shoptaw S, Dowling P, Suchard JR, Shah S, Singh N, Cedarquist LC, Alem N, Copenhaver DJ, Westervelt M, Willis BC. Responding to the Opioid Epidemic: Educational Competencies for Pain and Substance Use Disorder from the Medical Schools of the University of California. Pain Med. 2021 Feb 4;22(1):60-66. doi: 10.1093/pm/pnaa399. PMID: 33316051; PMCID: PMC8921611
- The State of Massachusetts. Recommendations From The Governor's Medical Education Working Group On Prescription Drug Misuse. Medical Education Core Competencies for the Prevention and Management of Prescription Drug Misuse. 2015
- Substance Abuse and Mental Health Services Administration (SAMHSA): Opioid Overdose Prevention Toolkit. HHS Publication No. (SMA) 18-4742. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2018. <https://store.samhsa.gov/sites/default/files/d7/priv/sma18-4742.pdf>

## References: DEA/SAMHSA Curriculum Elements

- Substance Abuse and Mental Health Services Administration (SAMHSA): Treating Concurrent Substance Use Among Adults. SAMHSA Publication No. PEP21-06-02-002. Rockville, MD: National Mental Health and Substance Use Policy Laboratory. Substance Abuse and Mental Health Services Administration, 2021. <https://store.samhsa.gov/product/treating-concurrent-substance-use-among-adults/PEP21-06-02-002>
- Thangada S, Clinton HA, Ali S, et al. Notes from the field: xylazine, a veterinary tranquilizer, identified as an emerging novel substance in drug overdose deaths—Connecticut, 2019–2020. *Morbidity and Mortality Weekly Report*. 2021;70(37):1303.
- Tetrault, J. Improving Health Professions Education to Treat Addiction: The Time Has Come. The Josiah Macy Jr Foundation, News and Commentary. May 2018.
- Tong ST, Hochheimer CJ, Peterson LE, Krist AH. Buprenorphine Provision by Early Career Family Physicians. *Ann Fam Med*. 2018;16(5):443-446. doi:10.1370/afm.2261
- Townsend T, Blostein F, Doan T, Madson-Olson S, Galecki P, Hutton DW. Cost-effectiveness analysis of alternative naloxone distribution strategies: First responder and lay distribution in the United States. *Int J Drug Policy*. 2020; 75:102536.

## References: DEA/SAMHSA Curriculum Elements

- Tran T, Ball J, Bratberg JP, DeSimone EM, Franko TS, Hill LG, Sharp CPK, Palombi L, Ventricelli D, Farrell D, Gandhi N, Moore T. Report of the 2020 Special Committee on Substance Use and Pharmacy Education. *Am J Pharm Educ*. 2020 Nov;84(11):8421. doi: 10.5688/ajpe8421. Epub 2020 Nov 2. PMID: 34283760; PMCID: PMC7712728.
- Wandner, L. D., Prasad, R., Ramezani, A., Malcore, S. A., & Kerns, R. D. (2019). Core competencies for the emerging specialty of pain psychology. *American Psychologist*, 74(4), 432–444. <https://doi.org/10.1037/amp0000330>
- Winhusen T, Walley A, Fanucchi LC, Hunt T, Lyons M, Lofwall M, Brown JL, Freeman PR, Nunes E, Beers D, Saitz R, Stambaugh L, Oga EA, Herron N, Baker T, Cook CD, Roberts MF, Alford DP, Starrels JL, Chandler RK. The Opioid-overdose Reduction Continuum of Care Approach (ORCCA): Evidence-based practices in the HEALing Communities Study external icon. *Drug Alcohol Depend*. 2020 Oct 4;217:108325.